


EB-L600 series PROJECTORS

EPSON[®]
EXCEED YOUR VISION



Next Generation
Easy Installation Laser Projector



Fit and forget

Maintenance free, for 20,000 hours

A newly designed laser light source and advanced electrostatic filter deliver 20,000 hours of maintenance-free use. Inorganic LCD panels and an inorganic phosphor wheel combine with a dustproof design for 20,000 hours of warranty, including 24/7 usage. Additionally, the laser light source is highly reliable, eliminating the worry of the light burning out during important presentations.

LASER LIGHT SOURCE

- LD (laser diode) package
- Inorganic LCD panels
- Inorganic phosphor wheel
- Electrostatic filter
- Inorganic LCD panels (Red/Green/Blue)
- LD package
- Inorganic phosphor wheel


Maintenance period of laser and lamp*

Component	Start	End
Laser	0 hours (new)	20,000 hours
Lamp	0 hours (new)	20,000 hours

* Approximate time until brightness decreases 50% from first usage. Time varies depending on usage conditions and environments.

As bright as you want

EB-L600 Series provides precise brightness adjustment in increments of 1%. This makes it easy to adjust the brightness to fit to your viewing environment, and can prolong projector life.



True to life colors


Amazing image quality with 3LCD technology

All Epson projectors use 3LCD technology, offering distinct advantages compared to 1-chip projectors.

- Up to three times brighter color* reproduction: 3LCD projectors are superior in light-use efficiency.
- No rainbow effect: 3LCD projectors do not employ a color wheel found in 1-chip DLP® models†, thereby eliminating rainbow effects.




1-Chip DLP®



Only one color is projected at a time, so images are usually darker and duller.

3LCD



All three colors are simultaneously projected onto the screen, delivering brighter, more vibrant images.

Up to three times brighter colors*

3LCD projectors produce up to three times brighter colors compared to 1-chip projectors. This is because 3LCD projectors reproduce images by combining three primary colors of light more efficiently than other technologies.



No rainbow effect

The rainbow effect is an artifact that can occur with 1-chip projectors with a color wheel. 3LCD projectors are free from the rainbow effect since all three primary colors of light are combined in the optical engine and project all of the colors, all of the time.




* Color brightness (color light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016.
 † DLP is a registered trademark or a trademark of Texas Instruments in the US and/or other countries.

Installation flexibility for any venue

Bright and compact

The newly developed optical LD (laser diode) package is approximately 2.5x brighter than conventional laser banks. This new optical engine helps reduce the projector's size.



The brilliance of our newly designed laser bank equals 2.5 times that of a conventional bank. This means EB-L600 can project brighter images, yet still remain light and compact.

Flexible 360° installation



L600 Series can be rotated 360° in any direction — horizontally, vertically and rotationally — without any loss in image brightness. This makes it ideal for a wide range of applications, such as projecting onto ceilings and floors.



Wide-range zoom and lens shift

Manual zoom and lens shift cover a wide range, offering a great deal of flexibility when installing the projector.

Zoom range



As easy as ever

Simple, compact design

The flat, simplified design makes EB-L600 an ideal fit for a wide range of environments, including modern offices and luxury interiors.




Content play back

Save videos and photos to USB flash memory with our dedicated application, and project them instantly without the need for a PC.




Quick start

Quick Startup mode lets you start projecting in about half the time it takes in default mode.



Universal ceiling mount

EB-L600 series is compatible with ceiling mount ELPMB22. If you are using ELPMB23, simply attach the lower parts of ELPMB22 to EB-L600. This eliminates the need for additional cable work or other construction.



This eliminates the need for additional ceiling construction.